



A service of the National Library of Medicine and the National Institutes of Health

My NCBI ?
(Sign In) [Register)
Entrez 2.0

			" " " D	,,				L	
All Databases	PubMed	Nucleotide	Protein	Genome	Structure:	OMIM	PMC	Journals	Books
Search PubMed	for cd4 domains bind gp120					Go (Clear Say	ve Search	
	Limits	Preview/Index	History	Clipboard	Details				
About Entrez	Display	Summary		Show	20 ▼ Sort by	y	Send to	<u> </u>	
Text Version	All: 41	Review: 2 🔆]						
Entrez PubMed		Items 1 - 20 c	of 41				Page	1	of 3 Next
Overview	☐ 1: <u>Be</u>	cker Y.		•				Related A	rticles, Links

PubMed Services
Journals Database
MeSH Database
Single Citation
Matcher
Batch Citation
Matcher
Clinical Queries
Special Queries
LinkOut
My NCBI

Related Resources
Order Documents
NLM Mobile
NLM Catalog
NLM Gateway
TOXNET
Consumer Health
Clinical Alerts
ClinicalTrials.gov

PubMed Central

.. 1.

The spreading of HIV-1 infection in the human organism is caused by fractalkine trafficking of the infected lymphocytes--a review, hypothesis and implications for treatment.

Virus Genes. 2007 Apr;34(2):93-109. PMID: 17151939 [PubMed - in process]

Varadarajan R, Sharma D, Chakraborty K, Patel M, Citron M, Sinha P, Yadav R, Rashid U, Kennedy S, Eckert D, Geleziunas R, Bramhill D, Schleif W, Liang X, Shiver J.

Related Articles, Links

Chara

Characterization of gp120 and its single-chain derivatives, gp120-CD4D12 and gp120-M9: implications for targeting the CD4i epitope in human immunodeficiency virus vaccine design.

J Virol. 2005 Feb;79(3):1713-23.

PMID: 15650196 [PubMed - indexed for MEDLINE]

☐ 3: Becker Y.

Related Articles, Links

HIV-1 gp120 binding to dendritic cell receptors mobilize the virus to the lymph nodes, but the induced IL-4 synthesis by FcepsilonRI+ hematopoietic cells damages the adaptive immunity--a review, hypothesis, and implications.

Virus Genes. 2004 Aug;29(1):147-65. Review.

PMID: 15215692 [PubMed - indexed for MEDLINE]

T. 4. Dey B, Del Castillo CS, Berger EA.

Related Articles, Links

Neutralization of human immunodeficiency virus type 1 by sCD4-17b, a single-chain chimeric protein, based on sequential interaction of gp120 with CD4 and coreceptor. J Virol. 2003 Mar;77(5):2859-65.

PMID: 12584309 [PubMed - indexed for MEDLINE]

5: Lin G, Baribaud F, Romano J, Doms RW, Hoxie JA.

Related Articles, Links

Identification of gp120 binding sites on CXCR4 by using CD4-independent human immunodeficiency virus type 2 Env proteins.

J Virol. 2003 Jan;77(2):931-42.

PMID: 12502809 [PubMed - indexed for MEDLINE]

6: Cole KS, Alvarez M, Elliott DH, Lam H, Martin E, Chau T, Micken K, Rowles JL. Related Articles, Links Clements JE, Murphey-Corb M, Montelaro RC, Robinson JE.

Characterization of neutralization epitopes of simian immunodeficiency virus (SIV) recognized by rhesus monoclonal antibodies derived from monkeys infected with an attenuated SIV strain.

Virology. 2001 Nov 10;290(1):59-73.

PMID: 11883006 [PubMed - indexed for MEDLINE]

7: Cho MW, Lee MK, Chen CH, Matthews T, Martin MA.

Related Articles, Links



Identification of gp120 regions targeted by a highly potent neutralizing antiserum elicited in a chimpanzee inoculated with a primary human immunodeficiency virus type 1 isolate. J Virol. 2000 Oct;74(20):9749-54.

PMID: 11000249 [PubMed - indexed for MEDLINE] .

8: Brelot A, Heveker N, Montes M, Alizon M.

Related Articles, Links



Identification of residues of CXCR4 critical for human immunodeficiency virus coreceptor and chemokine receptor activities.

J Biol Chem. 2000 Aug 4;275(31):23736-44.

PMID: 10825158 [PubMed - indexed for MEDLINE]

9. Doranz BJ, Orsini MJ, Turner JD, Hoffman TL, Berson JF, Hoxie JA, Peiper SC, Brass LF, Doms RW.

Related Articles, Links



Identification of CXCR4 domains that support coreceptor and chemokine receptor functions.

J Virol. 1999 Apr;73(4):2752-61.

PMID: 10074122 [PubMed - indexed for MEDLINE]

10: Liu M, Zeng J, Robey FA.

Related Articles, Links

Specific interaction of conformational polypeptides derived from HIV gp120 with human T lymphocyte CD4 receptor.

Immunol Lett. 1998 Aug;63(1):27-32.

PMID: 9719435 [PubMed - indexed for MEDLINE]

11: Smith RE, Talhouk JW, Brown EE, Edgar SE.

Related Articles, Links

The significance of hypersialylation of dipeptidyl peptidase IV (CD26) in the inhibition of its activity by Tat and other cationic peptides. CD26: a subverted adhesion molecule for HIV peptide binding.

AIDS Res Hum Retroviruses. 1998 Jul 1;14(10):851-68.

PMID: 9671214 [PubMed - indexed for MEDLINE]

12: Bozzini S, Falcone V, Conaldi PG, Visai L, Biancone L, Dolei A, Toniolo A,

Related Articles, Links

Heparin-binding domain of human fibronectin binds HIV-1 gp120/160 and reduces virus infectivity.

J Med Virol. 1998 Jan;54(1):44-53.

PMID: 9443108 [PubMed - indexed for MEDLINE]

13: Wyatt R, Desjardin E, Olshevsky U, Nixon C, Binley J, Olshevsky V, Sodroski J.

Related Articles, Links



Analysis of the interaction of the human immunodeficiency virus type 1 gp120 envelope glycoprotein with the gp41 transmembrane glycoprotein.

J Virol. 1997 Dec;71(12):9722-31.

PMID: 9371638 [PubMed - indexed for MEDLINE]

14: Mori T, Shoemaker RH, McMahon JB, Gulakowski RJ, Gustafson KR, Boyd

Related Articles, Links

Construction and enhanced cytotoxicity of a [cyanovirin-N]-[Pseudomonas exotoxin] conjugate against human immunodeficiency virus-infected cells.

Biochem Biophys Res Commun. 1997 Oct 29;239(3):884-8.

PMID: 9367864 [PubMed - indexed for MEDLINE]

15: Moir S, Perreault J, Poulin L.

Related Articles, Links



Postbinding events mediated by human immunodeficiency virus type 1 are sensitive to modifications in the D4-transmembrane linker region of CD4.

J Virol. 1996 Nov;70(11):8019-28.

PMID: 8892926 [PubMed - indexed for MEDLINE]

☐ 16: Martin RA, Nayak DP.

Related Articles, Links

	Mutational analysis of HIV-1 gp160-mediated receptor interference: i complex formation. Virology. 1996 Jun 15;220(2):461-72. PMID: 8661396 [PubMed - indexed for MEDLINE]	ntracellular
┌ 17:	Allaway GP, Davis-Bruno KL, Beaudry GA, Garcia EB, Wong EL, Ryder AM, Hasel KW, Gauduin MC, Koup RA, McDougal JS, et al.	Related Articles, Links
	Expression and characterization of CD4-IgG2, a novel heterotetramer primary HIV type 1 isolates. AIDS Res Hum Retroviruses. 1995 May;11(5):533-9. PMID: 7576908 [PubMed - indexed for MEDLINE]	that neutralizes
┌ 18:	Roderiquez G, Oravecz T, Yanagishita M, Bou-Habib DC, Mostowski H, Norcross MA.	Related Articles, Links
	Mediation of human immunodeficiency virus type 1 binding by interasurface heparan sulfate proteoglycans with the V3 region of envelope J Virol. 1995 Apr;69(4):2233-9. PMID: 7884870 [PubMed - indexed for MEDLINE]	
┌ 19:	Koka P, He K, Camerini D, Tran T, Yashar SS, Merrill JE.	Related Articles, Links
	The mapping of HIV-1 gp160 epitopes required for interleukin-1 and factor alpha production in glial cells. J Neuroimmunol. 1995 Mar;57(1-2):179-91. PMID: 7706435 [PubMed - indexed for MEDLINE]	tumor necrosis
┌ 20:	Brodsky RA, Jane SM, Vanin EF, Mitsuya H, Peters TR, Shimada T, Medof ME, Nienhuis AW.	Related Articles, Links
	Purified GPI-anchored CD4DAF as a receptor for HIV-mediated generation of the second s	e transfer.
	Items 1 - 20 of 41 Page	1 of 3 Next
Display	Summary Show 20 - Sort by Send to	—

Write to the Help Desk

NCBI | NLM | NIH

Department of Health & Human Services

Privacy Statement | Freedom of Information Act | Disclaimer